Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

PREVALENCE OF DISEASE.

No health department, State or local, can effectively prevent or control disease without knowledge of when, where, and under what conditions cases are occurring.

IN CERTAIN STATES AND CITIES.

SMALLPOX.

California Report for June, 1913.

Places.	Number of new cases reported during month.	Deaths.	Vaccination history of cases.			
			Number vaccinated within seven years preceding attack.	Number last vaccinated more than seven years preceding attack.	Number never successfully vaccinated.	Vaccination history not obtained or uncertain.
California:						
Alameda County—						
Berkeley	2				2	
Contra Costa County—						
Walnut Creek	2				2	
Humboldt County—						
Rural	3				3	
Lake County—						
Kelseyville	6			1	5	
Imperial County—						
Rural		3				
Los Angeles County—						
Los Angeles	14			3	11	
Mendocino County—						
Irmulco	1				1	
Nevada County—						
Grass Valley	1					1
Nevada City	10				8	2
Sacramento County—						
Sacramento	1				1	
San Diego County—						
San Diego	2				2	
San Francisco County—						
San Francisco	3				3	
Santa Clara County—						
San Jose	3		1		1	1
Solano County—						
Suisun	3				3	
Stanislaus County—						
Modesto	1			1		
Total	52	3	1	5	42	4

California—Alameda and San Francisco.

Surg. Long, of the Public Health Service, reported by telegraph that during the week ended July 26, 1913, 1 case of smallpox had been notified at Alameda and 2 cases at San Francisco, Cal.

SMALLPOX—Continued.

California—Los Angeles.

Senior Surg. Brooks, of the Public Health Service, reported by telegraph that during the week ended July 26, 1913, 1 case of smallpox had been notified in Los Angeles, Cal.

Indiana—Evansville.

Acting Asst. Surg. Neary, of the Public Health Service, reported by telegraph that during the week ended July 26, 1913, 2 cases of smallpox had been notified in Evansville, Ind., making a total of 847 cases reported since October 1, 1912.

The population of Evansville in 1910 was 69,647.

Miscellaneous State Reports.

Places.	Cases.	Deaths.
Illinois (June 1-30):		
Counties—		
Alexander	1	
Brown	12	
Bureau	9	
Champaign	1	
Cook	8	
Ford	6	
Franklin	1	
Fulton	3	
Gallatin	1	
Greene	1	
Hardin	4	
Iroquois	1	
Jefferson	2	
Jersey	6	
Kane	9	
Lake	1	
La Salle	6	
Lawrence	4	
Lee	8	
McLean	2	
Madison	6	
Montgomery	1	
Ogle	1	
Peoria	1	
Piatt	15	
Pike	1	
Richland	2	
Rock Island	8	
Saline	2	
Sangamon	1	
Stephenson	2	
Union	5	
Vermilion	6	
Wabash	1	
Wayne	1	
Will	6	
Total	145	
Indiana (June 1-30):		
Counties—		
Blackford	1	
Carroll	2	
Cass	1	
Clark	19	
Clay	1	
Dearborn	2	
Floyd	10	
Fountain	2	
Gibson	3	
Grant	5	
Hancock	1	
Jackson	1	
Johnson	1	
Knox	10	
Lake	6	
Indiana (June 1-30)—Contd.		
Counties—Continued.		
Lawrence	8	
Madison	7	
Marion	1	
Marshall	1	
Martin	4	
Miami	2	1
Noble	1	
Owen	3	
Perry	1	
Posey	2	
St. Joseph	2	
Vanderburg	42	
Vermilion	8	
Vigo	32	
Wabash	4	
Warrick	14	
Washington	4	
Wayne	1	
Whitley	1	
Total	203	1
North Dakota (June 1-30):		
Counties—		
Burleigh	1	
Foster	6	
Ramsey	3	
Williams	3	
Total	13	
South Carolina (June 1-30):		
Counties—		
Aiken	1	
Anderson	3	
Charleston	3	
Dillon	3	
Florence	1	
Greenville	2	
Laurens	8	
Lexington	3	
Newberry	1	
Oconee	2	
Richmond	14	
Spartanburg	7	
Sumter	18	
Williamsburg	12	
Total	78	
Texas (June 1-30):		
Counties—		
Archer	10	
Brown	2	
Childress	12	
Dallas	29	

SMALLPOX—Continued.

Miscellaneous State Reports—Continued.

Places.	Cases.	Deaths.	Places.	Cases.	Deaths.
Texas (June 1-30)—Contd.			Utah (June 1-30):		
Counties—Continued.			Counties—		
Gray	4		Boxelder	5	
Hall	5		Cache	7	
Harris	4		Davis	12	
Hidalgo	1		Grand	1	
Hunt	6		Salt Lake	61	
Kaufman	4		San Juan	6	
Lubbock	10		Sanpete	8	
Rockwall	4		Tooele	10	
Tarrant	13		Utah	5	
Travis	4		Weber	1	
Total	108		Total	116	

City Reports for Week Ended July 12, 1913.

Places.	Cases.	Deaths.	Places.	Cases.	Deaths.
Ann Arbor, Mich	1		Manchester, N. H	1	
Austin, Tex	1		Marinette, Wis	7	
Buffalo, N. Y	1		Milwaukee, Wis	3	
Chicago, Ill	3		Moline, Ill	1	
Cleveland, Ohio	1		Montgomery, Ala	3	
Danville, Ill	2		Roanoke, Va	1	
Evansville, Ind	2		Sacramento, Cal	2	
Knoxville, Tenn	4		St. Joseph, Mo	1	
Lexington, Ky	1		Spokane, Wash	2	
Lowell, Mass	1		Superior, Wis	1	

TYPHOID FEVER.

State Reports for June, 1913.

Places.	Number of new cases reported during month.	Places.	Number of new cases reported during month.
California:		California—Continued.	
Alameda County—		San Joaquin County—	
Alameda	2	Lodi	1
Berkeley	4	Stanislaus County—	
Irvington	1	Oakdale	1
Oakland	6	Thalheim	1
Rural	3	Tehama County—	
Colusa County—		*Rural*	2
Colusa	1	Yolo County—	
Rural	1	Woodland	1
Fresno County—			
Fresno	1		95
Lassen County—			
Rural	3	Indiana:	
Los Angeles County—		Blackford County	1
Alhambra	1	Brown County	1
Los Angeles	17	Clark County	18
Rural	1	Dearborn County	1
Madera County—		Decatur County	1
Madera	1	Dekalb County	1
Riverside County—		Delaware County	1
Corona	1	Elkhart County	1
Sacramento County—		Floyd County	2
Sacramento	20	Fulton County	1
San Francisco County—		Gibson County	3
San Francisco	24	Greene County	2
San Luis Obispo County—		Hamilton County	3
Templeton	1	Jackson County	2
San Mateo County—		Johnson County	4
Rural	1	Lake County	5

TYPHOID FEVER—Continued.

State Reports for June, 1913—Continued.

Places.	Number of new case reported during month.
Indiana—Continued.	
Laporte County	1
Lawrence County	7
Marion County	12
Martin County	1
Monroe County	1
Montgomery County	8
Perry County	1
Pike County	2
Putnam County	1
Scott County	3
Shelby County	1
St. Joseph County	1
Switzerland County	2
Tippecanoe County	2
Vanderburgh County	2
Vermilion County	1
Vigo County	1
Wabash County	1
Total	95
North Dakota:	
Burleigh County	1
Cavalier County	3
Golden Valley County	1
McHenry County	1
Ward County	2
Total	8
Texas: [1]	
Brown County—	
Brownwood	2
Burnet County—	
Burnet	1
Childress County—	
Childress	1
Coleman County—	
Coleman	4
Texas—Continued.	
Comal County—	
New Braunfels	1
Dallas County—	
Dallas	34
Ellis County—	
Midlothian	2
Gray County—	
McLean	1
Grayson County—	
Whitesboro	1
Hale County—	
Plainview	1
Hall County—	
Eastline	1
Irion County	2
Johnson County—	
Cleburne	9
Lavaca County—	
Shiner	1
Lubbock County—	
Slaton	10
Mason County—	
Mason	1
McLennan County—	
West	6
Rockwall County—	
Rockwall	1
Tarrant County—	
Fort Worth	7
Travis County—	
Austin	9
Van Zandt County—	
Edgewood	1
Williamson County—	
Georgetown	1
Total	97

[1] The morbidity returns from Texas are incomplete.

Indiana—Evansville.

Acting Asst. Surg. Neary, of the Public Health Service, reported by telegraph that during the week ended July 26, 94 cases of typhoid fever had been notified in Evansville, Ind., making a total of 148 cases reported since June 14, 1913.

CEREBROSPINAL MENINGITIS.

State Reports for June, 1913.

Places.	Number of new cases reported during month.
California:	
Sacramento County—	
Sacramento City	1
San Francisco County—	
San Francisco	1
Total	2
Indiana:	
Marion County	1
North Dakota:	
Cavalier County	1
Texas: [1]	
Brown County	
Tarrant County—	
Fort Worth	2
Total	3

[1] The morbidity returns from Texas are incomplete.

CEREBROSPINAL MENINGITIS—Continued.

California—Los Angeles.

Senior Surg. Brooks, of the Public Health Service, reported by telegraph that during the week ended July 26, 1913, 3 cases of cerebrospinal meningitis had been notified in Los Angeles, Cal., making a total of 82 cases reported since January 1, 1913.

Cases and Deaths Reported by Cities for Week Ended July 12, 1913.

Places.	Cases.	Deaths.	Places.	Cases.	Deaths.
Bennington, Vt	1	.....	La Crosse, Wis	.....	1
Boston, Mass	1	1	Little Rock, Ark	5	.....
Cambridge, Mass	1	.....	Los Angeles, Cal	3	1
Chicago, Ill	1	2	Milwaukee, Wis	2	.....
Cincinnati, Ohio	1	.....	New Orleans, La	2	1
Columbus, Ohio	1	.....	San Francisco, Cal	2	1

POLIOMYELITIS (INFANTILE PARALYSIS).

State Reports for June, 1913.

Places.	Number of new cases reported during month.	Places.	Number of new cases reported during month.
California:		Texas: [1]	
Fresno County—		Brown County—	
Fresno City	1	Elkins	1
San Francisco County—		Brownwood	1
San Francisco	1	Grayson County—	
		Whitesboro	1
Total	2	Glasscock County—	
		Garden City	2
Indiana:		Harris County	1
Gibson County	1	Tarrant County—	
Whitley County	1	Fort Worth	4
Total	2	Total	10

[1] The morbidity returns from Texas are incomplete.

Texarkana, Ark., Tex., and Vicinity.

Surg. Francis, of the Public Health Service, reported that during the period from April 5 to June 28, 1913, 134 cases of poliomyelitis had been notified in Texarkana, Ark., Tex., and vicinity. Of these, 50 cases occurred in Texarkana or within 2 miles of the city limits and 93 occurred in the vicinity outside of this area. Sixty-six of the cases which occurred outside of Texarkana were in the families of farmers or in families living under farm conditions, and 27 cases were in towns.

Cases and Deaths Reported by Cities for Week Ended July 12, 1913.

Places.	Cases.	Deaths.	Places.	Cases.	Deaths.
Buffalo, N. Y	1	.....	St. Joseph, Mo	2	.....
Cambridge, Mass	1	1	San Francisco, Cal	1	.....
Cleveland, Ohio	1	.....	Springfield, Mass	2	.....
Newark, N. J	1	.....			

ERYSIPELAS.

Cases and Deaths Reported by Cities for Week Ended July 12, 1913.

Places.	Cases.	Deaths.	Places.	Cases.	Deaths.
Bennington, Vt	1	.....	Milwaukee, Wis	1	1
Binghamton, N. Y	1	.....	Philadelphia, Pa	3	1
Boston, Mass	.....	1	Pittsburgh, Pa	3	2
Buffalo, N. Y	1	.....	St. Louis, Mo	1	.....
Chicago, Ill	4	1	San Francisco, Cal	6	1
Cincinnati, Ohio	2	.....	South Omaha, Nebr	.....	1
Cleveland, Ohio	3	.....	Steelton, Pa	1	.....

PELLAGRA.

During the week ended July 12, 1913, pellagra was reported by cities as follows: Boston, Mass., 1 death; Buffalo, N. Y., 1 death; Montgomery, Ala., 2 cases with 2 deaths; Nashville, Tenn., 3 cases with 3 deaths; New Orleans, La., 3 deaths.

PLAGUE.

Rats Collected and Examined.

Places.	Week ended.	Found dead.	Total collected.	Examined.	Found infected.
California:					
Cities—					
Oakland	July 12, 1913	59	597	288	None.
Berkeley	....do	12	151	73	Do.
San Francisco	....do	24	[1] 1,882	1,184	Do.
Washington:					
City—					
Seattle	July 5, 1913	.....	595	559	Do.
Do	July 12, 1913	.....	898	829	Do.

[1] Rats taken from steamship Nile: Trapped, 2.

California—Squirrels Collected and Examined.

During the week ended July 12, 1913, there were examined for plague infection 632 ground squirrels from Contra Costa County, 101 from San Benito County, 47 from Alameda County, 29 from San Joaquin County, and 1 squirrel from the city of San Francisco.

Plague-Infected Squirrels Found.

Plague-infected squirrels were found in Contra Costa County as follows: June 30, 1913, 1 squirrel; July 5, 1913, 16 squirrels.

PNEUMONIA.

Cases and Deaths Reported by Cities for Week Ended July 12, 1913.

Places.	Cases.	Deaths.	Places.	Cases.	Deaths.
Alameda, Cal	1	1	Manchester, N. H	1	1
Auburn, N. Y	1	1	Philadelphia, Pa	8	19
Chicago, Ill	27	46	Pittsburgh, Pa	10	11
Cleveland, Ohio	6	10	Reading, Pa	2	.....
Dunkirk, N. Y	1	1	San Diego, Cal	1	1
Haverhill, Mass	1	1	San Francisco, Cal	5	.....

RABIES.

Almeda, Cal.—Rabies in Animals.

Surg. Long, of the Public Health Service, reported by telegraph that during the week ended July 26, 1913, 1 case of canine rabies had been notified in Alameda, Cal.

TETANUS.

During the week ended July 12, 1913, tetanus was reported by cities as follows: Chicago, Ill., 2 deaths; Cumberland, Md., 1 death; Hartford, Conn., 1 case; Los Angeles, Cal., 1 case with 1 death; New Orleans, La., 1 death.

SCARLET FEVER, MEASLES, DIPHTHERIA, AND TUBERCULOSIS.

State Reports for June, 1913.

	Scarlet fever.	Measles.	Diphtheria.
California	85	215	110
Indiana	320	2,196	129
Maryland, exclusive of Baltimore city	30	508	32
North Dakota	17	88	28
Texas[1]	28	.....	6

[1] The morbidity returns from Texas are incomplete.

Evansville, Ind.—Scarlet Fever, Measles, and Diphtheria.

Acting Asst. Surg. Neary, of the Public Health Service, reported by telegraph that during the week ended July 26, 1913, 1 case of scarlet fever, 2 cases of measles, and 1 case of diphtheria had been notified in Evansville, Ind., making totals of 460 cases of scarlet fever reported since October 1, 1912; 144 cases of measles reported since January 1, 1913; and 337 cases of diphtheria reported since August 1, 1912.

Pittsburgh, Pa.—Measles.

Surg. Stoner, of the Public Health Service, reported by telegraph that during the week ended July 26, 1913, 17 cases of measles, with 2 deaths, had been notified in Pittsburgh, Pa., making a total of 9,583 cases, with 165 deaths, reported since November 1, 1912.

SCARLET FEVER, MEASLES, DIPHTHERIA, AND TUBERCULOSIS—Contd.

Cases and Deaths Reported by Cities for Week Ended July 12, 1913.

Cities.	Population United States census 1910.	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuberculosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Over 500,000 inhabitants:										
Baltimore, Md	558,485	215	8	1	31	2	9	.....	16	19
Boston, Mass	670,585	216	44	4	81	3	16	1	56	26
Chicago, Ill	2,185,283	651	126	14	93	4	86	9	202	79
Cleveland, Ohio	560,663	155	39	2	72	5	10	4	29	11
Philadelphia, Pa	1,549,008	483	28	1	101	2	9	.....	102	39
Pittsburgh, Pa	533,905	173	16	1	41	.....	42	4	30	18
St. Louis, Mo	687,029	217	23	1	13	.....	7	.....	31	18
From 300,000 to 500,000 inhabitants:										
Buffalo, N. Y	423,715	.....	4	.....	23	.....	5	.....	38	8
Cincinnati, Ohio	364,463	144	8	1	2	.....	3	.....	34	15
Los Angeles, Cal	319,198	133	7	1	32	.....	13	.....	27	20
Milwaukee, Wis	373,857	108	16	4	22	.....	5	.....	10	16
Newark, N. J	347,469	121	11	3	53	1	12	.....	35	10
New Orleans, La	339,075	155	9	3	21	1	1	.....	15	20
San Francisco, Cal	416,912	108	3	1	5	1	2	.....	31	9
Washington, D. C	331,069	109	4	.....	9	.....	6	.....	27	13
From 200,000 to 300,000 inhabitants:										
Providence, R. I	224,326	68	8	.....	2	.....	6	.....	4	11
From 100,000 to 200,000 inhabitants:										
Cambridge, Mass	104,839	22	4	1	9	.....	2	.....	5	3
Columbus, Ohio	181,548	59	2	.....	3	.....	.....	.....	10	4
Dayton, Ohio	116,577	38	3	.....	1	.....	.....	.....	.....	6
Fall River, Mass	119,295	.....	4	1	17	2	3	.....	5	2
Grand Rapids, Mich	112,571	20	7	.....	10	.....	.....	.....	12	5
Lowell, Mass	106,294	36	4	.....	11	.....	.....	.....	.....	4
Nashville, Tenn	110,364	31	.....	.....	.....	.....	.....	.....	5	2
Oakland, Cal	150,174	46	4	.....	.....	.....	.....	.....	5	4
Richmond, Va	127,628	40	.....	.....	.....	.....	2	.....	6	4
Spokane, Wash	104,402	.....	.....	.....	2	.....	.....	1	.....	.....
Toledo, Ohio	168,497	49	15	1	16	1	3	.....	.....	7
Worcester, Mass	145,986	52	2	.....	11	.....	5	.....	4	5
From 50,000 to 100,000 inhabitants:										
Altoona, Pa	52,127	12	1	.....	.....	.....	3	.....	.....	.....
Bayonne, N. J	55,545	.....	3	.....	.....	.....	1	.....	1	.....
Brockton, Mass	56,878	13	.....	.....	11	.....	1	.....	4	2
Camden, N. J	94,538	.....	3	.....	2	.....	3	.....	9	.....
Covington, Ky	53,270	14	.....	.....	4	.....	.....	.....	1	1
Elizabeth, N. J	73,409	22	1	.....	.....	.....	.....	.....	8	1
Erie, Pa	66,525	23	.....	.....	1	.....	2	.....	2	.....
Evansville, Ind	69,647	26	1	.....	2	.....	3	.....	.....	1
Fort Wayne, Ind	63,933	15	3	1	2	.....	.....	.....	.....	.....
Harrisburg, Pa	64,186	21	.....	.....	6	.....	.....	.....	5	.....
Hartford, Conn	98,915	38	2	.....	1	.....	2	.....	1	1
Hoboken, N. J	70,324	18	4	.....	4	.....	.....	.....	7	.....
Johnstown, Pa	55,482	25	7	1	5	1	2	.....	.....	.....
Kansas City, Kans	82,331	.....	1	.....	1	.....	1	.....	4	.....
Lawrence, Mass	85,892	.....	1	.....	1	.....	2	.....	.....	2
Lynn, Mass	89,336	10	4	.....	7	.....	.....	.....	5	1
Manchester, N. H	70,063	27	1	.....	6	.....	.....	.....	1	1
New Bedford, Mass	96,652	33	.....	.....	1	.....	.....	.....	9	6
Passaic, N. J	54,773	14	1	1	10	.....	.....	.....	4	1
Pawtucket, R. I	51,622	.....	.....	1	.....	.....	.....	.....	.....	2
Reading, Pa	96,071	36	4	1	3	.....	3	2	5	1
Saginaw, Mich	50,510	9	.....	.....	.....	.....	.....	.....	2	.....
St. Joseph, Mo	77,403	19	.....	.....	3	.....	1	.....	5	2
Schenectady, N. Y	72,826	18	4	1	1	.....	4	1	.....	.....
South Bend, Ind	53,684	8	.....	1	2	.....	.....	.....	.....	.....
Springfield, Mass	88,926	31	4	.....	.....	.....	2	.....	8	3
Trenton, N. J	96,815	42	8	.....	2	.....	1	1	4	3
Wilkes-Barre, Pa	67,105	22	.....	.....	3	.....	1	.....	3	1
Yonkers, N. Y	79,803	41	7	1	14	1	4	.....	8	4

SCARLET FEVER, MEASLES, DIPHTHERIA, AND TUBERCULOSIS—Continued.

Cases and Deaths Reported by Cities for Week Ended July 12, 1913—Continued.

Cities.	Population United States census 1910.	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuberculosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
From 25,000 to 50,000 inhabitants:										
Atlantic City, N. J	46,150	12			4					
Auburn, N. Y	34,668	5			1		2			
Aurora, Ill	29,807	14								1
Austin, Tex	29,860	13					1			
Binghamton, N. Y	48,443	20	1		39	2			1	1
Brookline, Mass	27,792	9			2				2	
Chelsea, Mass	32,452	11	1		4				1	1
Chicopee, Mass	25,401	10			1		1		3	
Danville, Ill	27,871	10			2	2				
East Orange, N. J	34,371				1				3	
Elmira, N. Y	37,176	6					1			2
Everett, Mass	33,484	3	1		4		2		1	1
Fitchburg, Mass	37,826	6			9				1	
Haverhill, Mass	44,115	9	2		2		1		3	4
Kalamazoo, Mich	39,437	7			1				4	2
Knoxville, Tenn	36,346	6			1					
La Crosse, Wis	30,417	8	2		1				1	
Lancaster, Pa	47,227						1			
Lexington, Ky	35,099	12							1	2
Little Rock, Ark	45,941		2							
Lynchburg, Va	29,494	12							1	1
Malden, Mass	44,404	8	4	1	1		1		1	
Montgomery, Ala	38,136	19			1					2
Newcastle, Pa	36,280			2						
Newport, Ky	30,309	16							2	2
Newton, Mass	39,806	10			2					1
Niagara Falls, N. Y	30,445	10	1		2		1			2
Norristown, Pa	27,875	12	1	1						1
Orange, N. J	29,630	6			1					
Pasadena, Cal	30,291	5			3					
Pittsfield, Mass	32,121	9			3		1		2	
Portsmouth, Va	33,190	5			1					1
Racine, Wis	38,002	7	2		3		2			
Roanoke, Va	34,874	6							1	
Sacramento, Cal	44,696	23	1		8		1			4
San Diego, Cal	39,578	7			1				5	4
South Omaha, Nebr	26,259	11								
Springfield, Ohio	46,921		1		4					
Superior, Wis	40,384	7			2		1		3	
Taunton, Mass	34,259	10	1		3	1			1	1
Waltham, Mass	27,834	5			1				2	
West Hoboken, N. J	35,403		2						4	
Wheeling, W. Va	41,641	11	2		9				1	
Williamsport, Pa	31,860	8								
York, Pa	44,750		1		1		1		3	
Zanesville, Ohio	28,026	11	1				1			2
Less than 25,000 inhabitants:										
Alameda, Cal	23,833	7							1	
Ann Arbor, Mich	14,817	6			1				6	
Bennington, Vt	21,705	2	1							
Biddeford, Me	17,079	5	1							
Braddock, Pa	17,759				1					
Cambridge, Ohio	17,327	3								
Clinton, Mass	13,075	6								1
Columbus, Ind	6,719	5								1
Concord, N. H	21,477	11			6					1
Corpus Christi, Tex	4,703						1			
Cumberland, Md	21,839	12	1		1				3	
Dunkirk, N. Y	11,616	2			16					
Galesburg, Ill	22,089	3								
Gloucester, Mass	26,121									2
Harrison, N. J	14,489	4	1	1						
Kearney, N. J	18,659	4	3		2				1	
La Fayette, Ind	20,081	4							2	
Lebanon, Pa	17,628								3	
Marinette, Wis	16,195	4					2			
Marlboro, Md	14,759	3			5					1
Massillon, Ohio	23,830	2								
Medford, Mass	23,150	3	2		1					1
Melrose, Mass	15,715	4							2	1
Moline, Ill	24,190	8	2	1	2					1

SCARLET FEVER, MEASLES, DIPHTHERIA, AND TUBERCULOSIS—Continued.

Cases and Deaths Reported by Cities for Week Ended July 12, 1913—Continued.

Cities.	Population United States census 1910.	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuberculosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Less than 25,000 inhabitants—Continued.										
Montclair, N. J	21,450	3							1	
Morristown, N. J	12,507	4							1	
Nanticoke, Pa	18,857	2								
Newburyport, Mass	19,240	2			4					
North Adams, Mass	22,019	5							1	
Northampton, Mass	23,310	8					1		1	1
Palmer, Mass	7,801	3								
Plainfield, N. J	23,550	6			1		2			
Pottstown, Pa	16,606	5							1	1
Rutland, Vt	6,719	3					3	1		
Saratoga Springs, N. Y	13,534	7			1					
South Bethlehem, Pa	13,241	8			1				2	
Steelton, Pa	14,474				2					
Wilkinsburg, Pa	15,594	8					1		2	
Woburn, Mass	14,254	3								